

1. New Feature of version 3.25

<i>Feature</i>	<i>Description</i>	<i>Requested From</i>	<i>Special comment</i>
ACD Manual	Supervisor for multiple ACD Group Verify logged on agents Verify queued call status Verify average agent conversation time Verify longest queued call Verify longest talk time Verify abandon call Multi log on possibility per an agent	INDIA	
Busy Group Display Manual	Busy group service by new ATD using DSS.	INDIA	
Calling Group Call Queuing	Queuing service is added in calling group busy option. When all the extension in calling group is busy, the next arrived calls wait in the queue and an extension goes to idle, the waiting call in the queue is transferred automatically to the extension.	ITALY	
Simple Traffic Manual	This feature allows querying the call status of extension and trunk in call monitoring mode. <ul style="list-style-type: none"> - Extension Traffic Hourly Report - Extension Traffic Statistic Report - Extension Traffic Summary Report - Trunk Traffic Hourly Report - Trunk Traffic Statistic Report - Trunk Traffic Summary Report 	INDIA	

Feature	Description	Requested From	Special comment
SMDA Duplication Manual	Duplication of SMDA <ul style="list-style-type: none"> - SIO + LAN double connection - SIO + SIO double connection - LAN + LAN double connection 	KOREA	
Selective Dial Number Output for SMDA Manual	When dial digit is converted by LCR feature, this function allows selecting the dial digit information in mandatory field between original dialed digit and converted dial digit by LCR and the other one is added in optional field.	KOREA	
DISA Authorization Code for SMDA	When DISA calls access to the outside using authorization code, the authorization code is added in SMDA optional field.	RUSSIA	
Group Prepaid Phone Manual	This function allows disconnecting an outside call of extension by payment in advance. It could be manage by each extension or group.	INDIA	
Call restrict without CID Manual	This function allows denying the calls arrived without CID.	KOREA	
Announcement for Call Fail	When the calls are failed, the error tone could be replaced to the announcement. <ul style="list-style-type: none"> - Vacant / Dial Delay Announce with VPC2 - Hold Announce with VPM 	KOREA	
Meet Me Conference Manual	This function enables an operator (attendant or service phone) register conference call for specific time and internal or external subscribers can access to join the conference on the time.	INDIA	
Enhanced Call Park Manual	Call Park operation flows are changed. When an extension register the call park, the call is parked by a specific index and retrieve the call using the call park index.	RUSSIA	

Version 3.25
Date 2003-10-23

<i>Feature</i>	<i>Description</i>	<i>Requested From</i>	<i>Special comment</i>
Enhanced CDR Manual	This function allows restricting call duration time based on dial digit.	<i>RUSSIA</i>	
Document Manager Manual	FW Version Check Wizard Trace Wizard Site History Manager	<i>COMMON</i>	
Voice Networking - Centralized COS Manual	When the extension of slave system try to access to the PSTN in master system through the QSIG network, the toll restriction in master system is applied based on the class of calling extension in slave system.	<i>ITALY</i>	ITGC: v3.70 or later

2. Improved Feature of version 3.25

<i>Feature</i>	<i>Description</i>	<i>Requested From</i>	<i>Special comment</i>
SMDA Backup Record Expansion Manual	<u>Before</u> No of SMDA Backup Record: 10001 <u>After</u> No of SMDA Backup Record: 20000	KOREA	
VPM Mail Box Contents Clear by OMS or DTEL	<u>Before</u> VPM mail can not be deleted by OMS <u>After</u> VPM mail can be deleted by OMS	RUSSIA	
Multi Step Call Forward Manual	<u>Before</u> Do not support multi-step call forward internally. <u>After</u> Support multi-step call forward internally.	KOREA	
PSTN Real ANI Total Digit No Expand	<u>Before</u> PSTN Real ANI : max. 8 digits <u>After</u> PSTN Real ANI : max. 10 digits	RUSSIA	
ACD Wait Queue Display	<u>Before</u> Do not support to display ACD Wait calls in LKD D-Tel. <u>After</u> Support to display ACD Wait calls in LKD D-Tel.	INDIA	DSLCLKD: v2.53 or later

Version 3.25
Date 2003-10-23

<i>Feature</i>	<i>Description</i>	<i>Requested From</i>	<i>Special comment</i>
ATD Admin Deny	<u>Before</u> Do not support to restrict ATD admin. <u>After</u> Support to restrict ATD admin. (Temporary option: 41)	<i>INDIA</i>	
ATD Alarm Report	<u>Before</u> Report ATD alarm periodically. <u>After</u> Stop alarm report, when RLS or CLR key is pressed.	<i>INDIA</i>	

3. FW Master List

This list is made to identify why the F/W version is changed compare with the one of CPM Version 3.11.

Type	Version	Check Sum	Change Issue	Etc
APTC	1.30	AFC3	Nothing	
ALTC	1.30	F3D5	Nothing	
DNIC-DTC	1.30	E(3B1E)/O(734A)	Timing Adjust	
DNIC-PRI	1.50	E(CC90)/O(DE59)	Sync. Control	
ITGC	1.70	1(B4DD)/2(7097) 3(911F)/4(318E)	Voice Networking/COLP/T38 and others.	
ASLC		57A8	Nothing	
DSLC-LGP	1.30	E(75FE)/O(C322)	Nothing	
DSLC-LKD2	2.51	E(E918)/O(849C)	Extension Based Multi Language Display	
BRIC	1.30	E(349D)/O(7AFB)	Sync. Control	
WTIC2	1.10	E(E8C6)/O(EC99)	CLI Display	
VPC2	1.00	E(A317)/O(3B9F)	Nothing	
VPM	2.22	Don't care	VM all clear by check out	
RMFC	1.20	778E	Nothing	
DATD	1.20	FD40	Abnormal Alarm Report	New Model
DATD-DSS	1.10	EB50	Nothing	New Model
DSAC	2.20	00BD	Abnormal Alarm Report	Old Model